RECEIVED
CENTRAL FAX CENTER

JUL 1 9 2010

In the Claims:

1. (currently amended) A combination comprising a bottle comprising a vessel

having a neck, said neck terminating in a dispensing aperature, and a closure

sealingly secured in the neck of the vessel of the for a bottle, the closure being

dispersible in a aqueous medium, the closure comprising a first hydrophobic

component and a second hydrophilic component, wherein said second component

comprises a pH-sensitive polymer incorporating a repeat unit based on a

$$\begin{array}{c|cccc}
R_1 & R_1 & R_2 \\
CH = C - G - CH & X & R_2
\end{array}$$
(III)

compound of formula III:

in which G is a linking group selected from $-COO_{-}$, $-COO_{+}$, $-COO_{+}$, $-NHCO_{-}$, $-NHCOO_{+}$, $-NHCOO_{+}$, $-OCOO_{+}$ each R_{1} is, independently, hydrogen or an alkyl group with 1 to 3 carbon atoms, each R_{2} is, independently, hydrogen or an alkyl group with 1 to 5 carbon atoms, and x is an integer from 1 to 6; and wherein each component defining a seal enclosing a volume within the bottle and the first and second components abut against each other, wherein the dispersion of each component is activated by a different means.

- 2.(currently amended) A elosure combination according to claim 1, wherein the first component of the closure is insoluble in water.
- 3. (currently amended) A elosure combination according to claim 1 wherein the dispersion of the first component of the closure is triggered by an elevated temperature mechanism.

- 4. (currently amended) A elosure combination according to claim 3, wherein the elevated temperature is between 30°C-90°C.
- (currently amended) A electric combination according to claim 1, wherein the first component of the closure comprises a wax.

6.(cancelled)

7. (currently amended) A electric combination according to claim 1, wherein the dispersion of the second component of the closure is triggered by contact with an aqueous medium.

8.(canceled)

- (currently amended) A elosure combination according to claim 7 wherein the second component comprises a water soluble polymer.
- 10. (currently amended) A elosure combination according to claim 9, wherein the water soluble polymer comprises a polymer selected from polyvinyl alcohol, polylactic acid, polyvinyl pyrrolidone or a mixture thereof.

11.(canceled)

- 12. (currently amended) A elosure combination according to claim 7, wherein the second component of the closure has no or only a limited solubility at a pH-value above 10 and, at a pH-value below 9, has a solubility such that it becomes dissolved.
- 13. (cancelled)
- 14. (cancelled)

15. (cancelled)	·
16. (cancelled)	
17. (cancelled)	·
18. (cancelled)	
19. (currently amended) components of the ci	A closure combination according to claim 1, wherein the losure are arranged in a two layer structure.
20. (currently amended) closure is disposed w	A elosure combination according to claim 19, wherein the within or adjacent to a dispensing aperture of the bottle.
21. (cancelled)	
22. (cancelled)	
23. (cancelled)	
24. (cancelled)	
25. (cancelled)	
26. (cancelled)	
27. (cancelled)	
28. (cancelled)	·
29. (cancelled)	

- 30. (cancelled)
- 31. (cancelled)
- 32. (cancelled)
- 33. (cancelled)
- 34. (cancelled)
- 35. (cancelled)
- 36. (cancelled)
- 37. (cancelled)